HP Color LaserJet Managed MFP E877 Core Printer Series



Powerful, Flexible, Secure,

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers you'll stay secure and simplify fleet management for busy IT pros.



Customizable solutions built to last.

- Your business needs met. Make the most of performance with unprecedented, flexible configurations built to support the demands of your business.
- Expand device functionality and performance with upgradeable options through any point in contract.
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate paper and digital workflows.

Unleash peak productivity.

- Tackle anything with our powerful CPU. Maximize your productivity and increase your overall print performance by copying, scanning and printing documents of all sizes at virtually full speed.
- Get time back with industry leading print speeds up to 70ppm.⁶
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons on the 10.1-inch color touchscreen display.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart firmware.²

Always on guard with HP Wolf Security.4

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified³ to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield™ is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

Better printing, for a better planet.

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.⁹
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic.¹⁰ Printing that puts the planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Silver, Energy Star, and Blue Angel.¹¹
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.

Product walkaround

- 1. Hardware Integration Pocket (for connecting accessories and third-party devices)¹
- 2. Flatbed scanner handles sheets up to 297 x 432 mm (11x17 in)
- 3. 500-sheet output bin
- 4. Automatic two-sided printing
- 5. Easy-access USB port²
- 6. Front door access to toner cartridges
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock
- 9. SuperSpeed USB 3.0 Host Port
- 10. Hi-Speed USB 2.0 Host Port
- 11. Gigabit Ethernet Port
- 12. SuperSpeed USB 3.0 device port
- 13. 520-sheet tray 3 supports media sizes up to A3 (11x17 in)
- 14. 200-sheet dual side ADF supports media sizes up to A3 (11x17 in)³
- 15. 10.1 inch (25.6 cm) color touchscreen display
- 16. Power button
- 17. Right door access to the print path
- 18. 100-sheet multipurpose tray 1 supports media sizes up to A3 (11x17 in)
- 19. 520-sheet tray 2 supports media sizes up to A4 (Letter)
- 20. Optional 2 x 520-sheet dual tray/stand supports media sizes up to A3 (11x17 in)



Series at a glance

Jeries at a glarice					
Model	HP Color LaserJet Managed MFP E877 Core Printer				
Product number	5QK20A	5QK20A (Base) + 8EP60AAE (Speed license)	5QK20A (Base) + 8EP61AAE (Speed license)	5QK20A (Base) + 8EP62AAE (Speed license)	
Print speed (A4 and letter, black and color) ³	Up to 40 ppm	Up to 50 ppm	Up to 60 ppm	Up to 70 ppm	
Scan speed (A4 and letter, black and color) ⁴	90 ppm/180 ipm, simplex/duplex				
Functions	Print, copy, and scan (fax and wireless optional) (all models)				
ADF capacity	200 sheets				
Input capacity	Standard: 1,140 sheets; Maximum: 6,140 sheets (all models)				
Advanced workflow features	No				

Top features

Optimize your workflows and help increase productivity with upgradeable hardware options and scalable solutions to support your workforce for today and tomorrow. Get more done faster with industry leading printing, scanning and copying speeds, maximum uptime – powered by HP's custom designed quadcore processor. HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats. We keep trouble out so you can keep your business running.

Save resources with our energy efficient printing that meets EPEAT Silver, Blue Angel and Energy Star standards; supporting HP's goal for carbon neutrality and a fully sustainable economy.

Services and Solutions

Service and Support	U03HDE HP 1 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HFE HP 3 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HGE HP 4 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HHE HP 5 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HJE HP 3 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HJE HP 4 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HLE HP 5 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HME HP 1 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HME HP 3 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HNE HP 4 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HRE HP 5 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HRE HP 5 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HSPE HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HVPE HP 2 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HVPE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HVPE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HVPE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HVPE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HVPE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HVPE HP 2 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HVPE HP 2 year POST Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx
Solutions	Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Custom Color Manager; HP Command Center; HP Smart Printer Administrator's Resource Kit

² Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
3 An administrator must enable the easy-access USB port before use.
4 The EB77 series Flow models include a 300-sheet ADF. The EB77 series dn models include a 200-sheet ADF. The ADF on all devices can scan documents up to 11 x 17 inches (A3).
5 Measured using ISO/IEC 24734, excludes First set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Front panel optional colors



*Available with optional color panel accessories

		*Available with optional color panel accessories
Accessories	155P7A	HP Laser Jet InnerFinisher 2/3 Hole Punch
	155P8A	HP Laser Jet Inner Finisher 2/4 Hole Punch
	190A2A	HP Color LaserJet Department Lunar Gray Color Panel
	190A4A	HP Laser Jet Department 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel
	190A5A	HP LaserJet Department High Capacity Paper Tray/Stand Lunar Gray Color Panel
	190A8A	HP Laser Jet Department Stand Lunar Gray Color Panel
	190B2A	HP Color Laser Jet Department Comet Red Color Panel
	190B4A	HP LaserJet Department 2x520 sheet Paper Tray/Stand Comet Red Color Panel
	190B5A	HP LaserJet Department High Capacity Paper Tray/Stand Comet Red Color Panel
	190B8A	HP LaserJet Department Stand Comet Red Color Panel
	190C2A	HP Color Laser Jet Department Cosmic Green Color Panel
	190C4A	HP LaserJet Department 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel
	190C5A	HP LaserJet Department High Capacity Paper Tray/Stand Cosmic Green Color Panel
	190C8A	HP LaserJet Department Stand Cosmic Green Color Panel
	190D2A	HP Color LaserJet Department Constellation Yellow Color Panel
	190D4A	HP LaserJet Department 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel
	190D5A	HP LaserJet Department High Capacity Paper Tray/Stand Constellation Yellow Color Panel
	190D8A	HP LaserJet Department Stand Constellation Yellow Color Panel
	190F2A	HP Color LaserJet Department Aurora Purple Color Panel
	190F4A	HP Laser Jet Department 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel
	190F5A	HP LaserJet Department High Capacity Paper Tray/Stand Aurora Purple Color Panel
	190F8A	HP LaserJet Department Stand Aurora Purple Color Panel
	3JN69A	HP Jetdirect 3100w BLE/NFC/Wireless Accessory
	4QL32A	HP Legic Secure USB Reader
	4XN67A	Internal USB Expansion Kit
	5QK14A	HP MFP 810 Analog Dual Fax
	5QK38A	HP Laserjet 180ipm 200 sheet DADF high speed Scanner
	5QK39A	HP Laser Jet 300ipm 300 sheet Flow DADF high speed Scanner
		HP Laser Jet 8.0 in (20.3cm) Touchscreen HP Laser Jet 10.1 in (25.6cm) Touchscreen
		HP Laser Jet 10.1 III (25.6cm) Touchiscreen HP Laser Jet 500GB SED Hard Disk Drive
		HP Laser Jet 2x520 sheet Department Paper Tray/Stand
		HP Laser Jet Inner Finisher
		HP Laser Jet Department Job Separator
		HP Laser Jet Booklet Finisher
		HP Laser Jet Department Stand
		HP Laser Jet Stapler/Stacker Finisher
		HP Laser Jet 3000 sheet Department High Capacity Paper Tray/Stand
		HP LaserJet 2000 sheet Department High Capacity Paper Tray/Stand
		HP LaserJet Workflow Accelerator Card
		HP 500GB CCC, FIPS, TAA Hard Disk Drive
	7ZA08A	HP MFP 800 Analog Single Fax
	8FP31A	HP Jetdirect LAN Accessory
	9EQ11A	HP 500GB CCC, FIPS Hard Disk Drive
	B5L31A	HP Foreign Interface Harness
	X3D03A	HP USB Üniversal Card Reader
	Y1G10A	HP Laser Jet Hole Punch 2/3 Accessory
		HP Laser Jet Hole Punch 2/4 Accessory
	Y1G13A	HP Laser Jet Inner/Booklet Staples
	Y1G14A	HP Laser Jet Stapler/Stacker Finisher Staples
	Y1G22A	HP Laser Jet Paper Tray Heaters Accessory
	Y7C05A Y7C07A	HP HIP2 Keystroke Reader HP SIM for HID iClass for HIP2 Reader
Speed Licenses		
Speed Licelises		HP Color Laser Jet Managed MFP E877 40 to 50ppm License
		HP Color LaserJet Managed MFP E877 40 to 60ppm License HP Color LaserJet Managed MFP E877 40 to 70ppm License
		HP Color Laser Jet Managed MFP E877 40 to 70ppm License
		HP Color LaserJet Managed MFP E877 60 to 70ppm License
		HP Color LaserJet Managed MFP E877 50 to 70 ppm License
	1	

^{*} Inner finisher/inner finisher hole punches are not compatible with 70ppm

Technical specifications

Technical specifi	Print, copy, scan, fax (optional)					
	Letter Black	Up to 40 ppm	Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE)	Up to 70 ppm (with 8EP62AAE)	
rint speed ^{3,4}	Letter Color	Up to 40 ppm	Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE)	Up to 70 ppm (with 8EP62AAE)	
	A4 Black	Up to 40 ppm	Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE)	Up to 70 ppm (with 8EP62AAE)	
	A4 Color	Up to 40 ppm	Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE)	Up to 70 ppm (with 8EP62AAE)	
	First page out Letter Black	As fast as 8.2 sec	As fast as 7.6 sec (with 8EP60AAE)	As fast as 7.2 sec (with 8EP61AAE)	As fast as 7.2 sec (with 8EP62A	
	First page out Letter Color	As fast as 9.7 sec	As fast as 8.8 sec (with 8EP60AAE)	As fast as 8.2 sec (with 8EP61AAE)	As fast as 8.0 sec (with 8EP62A)	
	First page out A4 Black	As fast as 8.2 sec	As fast as 7.6 sec (with 8EP60AAE)	As fast as 7.2 sec (with 8EP61AAE)	As fast as 7.2 sec (with 8EP62A)	
	First page out A4 Color	As fast as 9.7 sec	As fast as 8.8 sec (with 8EP60AAE)		As fast as 8.0 sec (with 8EP62A)	
rint resolution	Black (best): Up to 1200 x 1200 dpi full speed; Black (normal): Up to 600 x 600 dpi; Black (fine lines): Up to 1200 x 1200 dpi; Color (best): Up to 1200 x 1200 dpi full speed; Color (norm Up to 600 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi					
rint technology	Laser; Optical: Normal (600 x 600 4	bit): Best (1200 x 1200 1 bit)				
rint cartridges number	4 (1 each black, cyan, magenta, yell					
andard print languages			-Drint™ compatible			
	HP PCL 5c, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible "ES Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB					
olor scanning		multiple pages per sheet (2, 4, 0,	, 9, 10), Collation, Watermarks, Store print ju	ous, easy-access ODD		
can speed Normal ⁵	Yes 5QK38A: Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color) 5QK39A: Up to 150 ppm/300 ipm (b&w), up to 150 ppm/300 ipm (color); 5QK38A: Up to 90 ppm/180 ipm (color) 5QK39A: Up to 150 ppm/300 ipm (color) Duplex: 5QK38A: Up to 180 ipm (color) 5QK38A: Up to 180 ipm (color) 5QK39A: Up to 300 ipm (color); 5QK38A: Up to 180 ipm (b&w), up to 300 ipm (color); 5QK38A: Up to 180 ipm (b&w), up to 300 ipm (color); 5QK38A: Up to 180 ipm (b&w), up to 300 ipm (color); 5QK38A: Up to 300 ipm (color					
can type / Technology	Flatbed, ADF / Platen Scanner CCD (Dinital-CIS				
can resolution		,				
can file format			only : Searchable PDF (OCR), Searchable PI	DF/A (OCR), TEXT (OCR), Unicode TEXT	(OCR), RTF (OCR), HTML (OCR), CS	
can input modes	(OCR) Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (OXP), HP Workpath applications					
can Size				•	patr applications	
canner advanced features	ADF Maximum: 297 x 864 mm or 305 x 864 mm; ADF Minimum: 68 x 127 mm; 2.7 x 5 in Flatbed: 297 x 432 mm; (Flow model only) embedded OCR; optimize text/picture (auto); scan to multi-destination; automatic tone; auto orientation; multi-feed detection; reverse and retry; document editing; auto paper color removal; job separation (blank page, barcode); watermark; stamps					
uplex ADF scanning	Yes	ution (brank hade, barcone), Mate	ετιτιαι κ, οιαπιμο			
DF capacity		_				
,	Standard, 200 sheets or 300 sheets	S				
wain version	Version 2.4					
it depth / Grayscale levels	24-bit/256					
igital sending standard eatures	Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten; (Flow model only) embedded OCR; optimize text/picture (auto); scan to multi-destination; automatic tone; auto orientation; multi-feed detection; reverse and retry; document editing; auto paper color removal; job separation (blank page, barcode); watermark; stamps					
opy speed	Letter Black	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)	
	Letter Color	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)	
	A4 Black	Up to 40cpm	Up to 50cpm (with 8EP60AAE)	Up to 60cpm (with 8EP61AAE)	Up to 70cpm (with 8EP62AAE)	
	A4 Color	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)	
	Letter Black Duplex	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)	
	Letter Color Duplex	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)	
	A4 Black Duplex	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)	
	A4 Color Duplex	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)	
	First copy out Letter Black	As fast as 4.9 sec	As fast as 4.2 sec (with 8EP60AAE)	As fast as 3.8 sec (with 8EP61AAE)	As fast as 3.5 sec (with 8EP62A	
	First copy out Letter Color	As fast as 6.5 sec	As fast as 5.6 sec (with 8EP60AAE)	As fast as 4.9 sec (with 8EP61AAE)	As fast as 4.3 sec (with 8EP62A	
	First copy out A4 Black	As fast as 4.9 sec	As fast as 4.2 sec (with 8EP60AAE)	As fast as 3.8 sec (with 8EP61AAE)	As fast as 3.5 sec (with 8EP62A	
1.,,	First copy out A4 Color	As fast as 6.5 sec	As fast as 5.6 sec (with 8EP60AAE)	As fast as 4.9 sec (with 8EP61AAE)	As fast as 4.3 sec (with 8EP62A	
ppy resolution	Black (text and graphics): ; Up to 60	0 × 600 dpi ; Color (text and grap	hics): Up to 600 x 600 dpi			
aximum number of copies	Up to 9999 copies					
pier resize	25 to 400%					
opier settings	Two-sided copying; automatically detect color/monochrome; reduce/enlarge; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mix printed picture, photograph); N-Up; N or Z-ordering; content orientation; collate; booklet; scan mode (book, 2-sided ID); watermark; stamps; image overlay; erase edges; job build; image review; image shift; paper selection; blank page suppression; automatically straighten; scan to job storage; (Flow model only) optimized text/picture (auto); automatic tone; multi-fee detection; document editing; auto paper color removal					
ax speed	Up to: 33.6 kbps / Letter: 3 sec per	page				
ax resolution	Black (best): Up to 300 x 300 dpi (4	00 x 400 dpi for received faxes or	nly); Black (standard): 203 x 98 dpi			
ax Features	Fax memory: Up to 500 pages; Up to supported: Yes Fax phone TAM inter	to 500 pages Auto fax reduction surface supported: No Fax polling su	supported: Yes Auto-redialing: Yes Fax dela upported: Yes (poll to receive only) Fax tele	phone mode supported: No Junk barr	ier supported: Yes Maximum spec	
	- · · · J · · · · · · · · · · · ·	,	PC interface supported: Yes Remote retriev			
andard connectivity	1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (ho					
etwork capabilities	Standard (built-in GIGABIT 10/100/1000T Ethernet)					
ireless capability	Optional, enabled with purchase of	a hardware accessory				
obile printing capability						
	Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print					
emory	Standard:6GB; Maximum:6GB					
	Quad Core (1.6GHz), Dual Core (1.4GHz) / Hard disk: Optional, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)					
rocessor speed	Job Files, Secure Erase Job Bata, Se					
· 	Letter:	Up to 180,000 pages	Up to 200,000 pages (with 8EP60AAE)	Up to 250,000 pages (with 8EP61AAE)	Up to 300,000 pages (with 8EP62AAE)	
Processor speed Duty cycle (monthly)		Up to 180,000 pages Up to 180,000 pages				

Technical specifications

Paper handling	Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 50 envelopes; Input Capacities, Max: Up to 6,140 sheets; Output Capacities: Up to 500 sheets Standard; Up to 100 sheets; Duplex Options: Automatic; Envelope feeder: No; Standard paper trays: 3
Media types supported	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy
	111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, HP
	Glossy 200g, Card-stock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Heavy Paperboard, Color Transparency, Labels,
	Letterhead, Envelope, Heavy Envelope, Preprinted, Pre-punched, Colored
Media weight supported	Tray 1, 2, 3: 60 to 325 g/m²
Media sizes supported	Tray 1: A3, A4, A4R, A5, A5R, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), 10x15cm, Oficio, 8K, 16k, Postcard (JIS), Postcard (JIS), Envelope B5, Envelope C5, Envelope C6, Envelope DL; Tray 2: A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6(JIS), Oficio, 8K, 16k, Envelope B5, Envelop C5, Envelope C6, Envelope DL; Tray 3: A3, A4, A4R, A5, A6, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k
Media Sizes Custom	Tray 1: 98 x 139.7 to 320 x 457.2 mm; Tray 2: 98 x 139.7 to 241.5 x 297 mm; Tray 3: 140 x 182 to 320 x 457.2 mm
What's in the box	50K20A In box materials; Guide install, Flyer Regulatory, Power Cords, Label, Drums.
Replacement cartridges ¹	HP Black Managed LJ Toner Cartridge (ISO Yield 25,000) W9160MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 22,500) W9161MC, HP Yellow Managed LJ Toner
	Cartridge (ISO Yield 22,500) W9162MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 22,500) W9163MC, HP Black Managed LJ Toner Cartridge (ISO Yield
	50,000) W9170MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 45,000) W9171MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 45,000) W9172MC, HP
	Magenta Managed LJ Toner Cartridge (ISO Yield 45,000) W9173MC
Product dimensions	Wxdxh: 585 x 694.7 x 907.7 mm - 638.8 x 745.9 x 933.9 mm; Maximum: 1656.7 x 1269 x 1488.5 mm - 1656.7 x 1301 x 1503.9 mm;
Product weight	99.8 kg - 104.6 kg;
Warranty features	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to
	hp.com/support to learn about HP award winning service and support options in your region.
Energy star certified	Yes
Ecolabels	EPEAT® registered; Blue Angel; IT ECO Declaration
Control panel	5QK41A: 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker, 5QK42A: 10.1-in (25.65 cm) Color Graphics
	Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker
Display description	5QK41A: 8-in (20.3 cm) touchscreen, XGA Color Graphic Display (CGD), 5QK42A: 10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)
Software included	No software solutions are included in the Box only on http://hp.com http://123.hp.com
Compatible operating	Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS
systems	
Compatible network	Windows 8; Linux; Citrix; Novell
operating systems	
Minimum system	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB
requirements	available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com
Power	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 12.0 A 220 to 240 VAC
	(+/-10%), 50/60 Hz (+/-3 Hz), 7.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier);
	Power consumption: 820 watts (40ppm, printing), 890 watts (50ppm, printing), 1020 watts (60ppm, printing), 1100 watts (70ppm, printing), 41.5 watts (ready), 0.8
	watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)
Acoustics	Acoustic power emissions: 6.70 Bel(A), printing color simplex A4 at 40ppm; 6.75 Bel(A), printing color simplex A4 at 50ppm; 6.85 Bel(A), printing color simplex A4 at
	60ppm; 7.00 Bel(A), printing color simplex A4 at 70ppm; Acoustic Pressure Emissions (active, printing): 52dB(A), printing color simplex A4 at 40ppm; 53dB(A), printing
	color simplex A4 at 50ppm; 54dB(A), printing color simplex A4 at 60ppm; 55dB(A), printing color simplex A4 at 70ppm; Acoustic Pressure Emissions (active scan):
·	54dB(A), ADF scan A4 at 90ipm; 59dB(A), ADF scan A4 at 150ipm
Operating environment	Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to 40°C; Operating humidity range: 20
	to 80% RH; Recommended humidity operating range: 20 to 80% RH

Messaging Footnotes

- 1 HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class HI S most advanced empedded security reatures are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrinterShatProtect. For more information, visit: hp.com/go/PrinterSecurityClaims

 Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

 Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf

- 4 HP Security is now HP Wolf Security. Security features vary by platform, please see product data sheet for details. 5 HP Web Jetadmin is free and available for download at hp.com/qo/webjetadmin
- 6 Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- Based on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required.
- 9100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers.
 10 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See hp.com/go/TonerRecycledContent for list. Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic.

 HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label quidelines.
- HP printer, HP paper and Original HP supply Blue Angel DE-UZ 219 Emissions Criteria.

Technical Specifications Footnotes

- 1 Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies.

 2 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and
- Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- ⁶ For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT)













To learn more, visit

The product could differ from the images shown. © 2014 Hewlett-Packard Development Company, L.P. The Information contained herein is subject to change without notice. Warranties for HP products and services are set out in the express warranty statements accompanying such products and services. In addition, our products and services come with guarantees that cannot be excluded under the Australian Consumer Law. Subject to the foregoing, nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

