

# Focused on brilliant colour quality.



**TASKalfa 6053ci Series**





# Brilliant in-house printing thanks to innovative toner technology

If you're looking to print your own high-quality material such as brochures, the new range of TASKalfa colour multifunctionals with true 1,200 x 1,200 dpi 2 bit equivalent of 4,800 x 1,200dpi print resolution are perfect for all light production tasks.

New toner technology has seriously opened up the available colour gamut portion of colour space that can be printed, meaning you get far more colours and far superior Cyan Blue and that's with averagely less toner consumption. The professional image quality you've been looking for is now at your fingertips.

And that's not all. An improver and more homogenous thinner toner coating and improved fuser mean light is more equally reflected from the printed sheet, leading to amazingly vivid and sharp results. And all this at high speed too, with colour printouts up to 55 ppm.



## Economy

- Amorphous silicon (a-Si) drums with a lifetime of 600,000 prints are still unique in the class of mid-speed A3 colour MFPs.
- High reliability means less downtime and increased savings.



## Environment

- Uses as little energy as possible.
- Energy is only used when needed.
- Renowned long-life components save resources.



## Usability

- User-friendly, customisable home screen with simple and intuitive menu.
- Enhanced functionality and usability thanks to improved driver.
- Extended mobile-device support: Mopria, Airprint, NFC, Wi-Fi Direct for simple and complete control from anywhere.

---

## Don't take unnecessary risks.

### Security is key and we have the answer

You never know when your data might end up where it shouldn't, so TASKalfa devices offer SSD and HDD encryption as standard. And if this isn't enough, it's also possible to install KYOCERA's Data Security Kit, which ensures no data is left on the hard disk once you've finished printing, copying or scanning.

An optional card authentication function that prevents unauthorised data access is also available and seriously worth considering. This ensures only the users who are authorised can collect the documents

### Connecting your device with your workflow

Thanks to HyPAS™, the open software development platform from KYOCERA, you can easily integrate your TASKalfa device into your existing business workflow. This can all be done via the intuitive 10.1-inch control panel, where you can set up your

device to work in line with specific daily business applications such as Document Management Systems or Enterprise Resource Planning (ERP). Once ready, it'll run seamlessly in the background, leaving you to get on with your work.

# Taking your MFD to the next level

A wide range of paper-handling options.

For high-volume jobs, additional paper trays can increase the paper capacity of your TASKalfa device up to 7,150 sheets, meaning hours on end of non-stop printing if required. Plus you have the option of three extra document processors and three finishers. And for all your internal light-production needs, the series supports a wide range of paper sizes and formats from A6 up to SRA3 which, combined with superior image quality, can be used to print colour graphics – complete with crop marks – onto SRA3 paper, allowing the accurate trimming of full-bleed edge-to-edge A3 printouts.

## 1000-Sheet finisher DF-7120

Supports various formats from B5E to A3. With optional stapling and punching function.



## Document processor DP-7130

Single pass document processor that scans both side of double-sided documents at the same time and can detect double-feeds.



## 7 bin mailbox sorter MT-730

Ideal for large departments, separates different users' output into 7 trays.

## 4000-Sheet finisher DF-7110/DF-7130

Particularly suited for large outputs. With optional stapling and punching function.

## BF-730/BF-9100


Booklet and tri-folding unit.

## DF-7110

65 sheet stapling

## DF-7130

100 sheet stapling





### Duplex Processor

With a capacity of 270 sheets, scans double-sided originals in one pass and double feed detection.

### Card Authentication

The card authentication function not only optimally protects sensitive data, but also allows personalised use of the device.



### Inner Finisher

500- sheet capacity, stapling up to 50 sheets A4 and A3 at 3 positions.

### PF-7100 Paper Feeder

2 x 500 sheets, ideal for paper sizes between A6 and SRA3(320 x 450 mm).



### 2x 500-Sheet paper feeder PF-7100

Ideal for paper sizes between A6 and SRA3 (320 x 450 mm).



### 2x 1500-Sheet paper feeder PF-7110

Supports A4, B5 and letter formats.



### 3000-Sheet paper feeder PF-7120

Ideal for large print runs in A4.

Imagine highly advanced, reliable, multifunctional colour devices that portray the results of your hard work in stunning resolution with brilliant vividness and astounding sharpness. Packed with the latest technology and able to complete high-capacity jobs effortlessly, the new TASKalfa range of MFPs produce some of the best-quality colour prints available on the market, taking your work to a whole new level.

## Colour Brilliance from an intuitive master


Built around superfine toner technology that offers an increased colour gamut, these high-resolution TASKalfa devices will astound you with their sharp, vivid results and wider range of colours. Add to this the evenly reflected light thanks to improved homogenous toner coating, and we're confident our printouts will make a seriously positive impression. Yet there's more to these devices than image alone.

Behind the extremely intuitive interface, they support oversized paper and duplex printing, extended paper weight and have a reduced warm-up time of about 40%. With high print resolution,

various paper feeders and finishing options that deliver fast continuous printing and high-volume results, the TASKalfa 6053ci series opens the door to a whole new range of in-house production possibilities.

Output, scanning and finishing speeds won't keep you waiting and wasting valuable time, while on the other hand, the superior energy efficiency of TASKalfa devices means you don't have to worry about your environmental footprint either. Add to this less downtime and less waste (thanks to our unique long-life components), and you'll really have all-round peace of mind.

## A colorful department.




- Up to 60/55 pages per minute A4 in b/w and colour.
- Outstanding image quality due to advanced colour technology.
- Standard print resolution of 1,200x1,200 dpi, 2 bit depth (equivalent to 4,800 x 1,200 dpi).
- Flexible paper handling from A6 up to SRA3 and beyond, including productive finishing options and various paper feeders for up to 7,150 sheets.
- Up to 60/55 pages per minute A4 in b/w and colour.
- Fiery Controller for highest productivity and colour quality.
- Up to 4 GB ram, 8 GB SSD 320 GB HDD memory and storage.
- Selectable one-path duplex scanning and 2 reversing document processors.
- Comprehensive support for all state-of-the-art mobile communications.
- Security-oriented : data security kit, support for integrated ID-card authentication with multiple-card technologies.
- Long-life components

# Are you in the graphics business? So are we.

The new TASKalfa range offers flexible usability for any professional copy or graphics business. As well as dealing with paper weights between 52 and 300g/m<sup>2</sup> and extended A6R to SRA3 (320 x 450 mm) paper size support. You can also print colour strips or crop marks on SRA3 resulting in a borderless A3 format. If you'd like to carry out light production jobs, oversize printing allows you to easily produce your own material, such as high-quality A4 brochures.

TASKalfa devices are also extremely user friendly. Every operation can be conducted from the newly designed 10.1-inch touchscreen panel with its tiltable, adjustable screen and fewer buttons, plus it has smartphone-style swipe functionality for even easier use – no training needed!



# General Specifications



## TASKalfa 6053ci

### Pages Per Minute:

Black – A4: 60 ppm, A3: 30 ppm (print only)  
Colour – A4: 55 ppm, A3: 27 ppm (print only)

**Warm Up Time:** 17 Seconds or Less (Power On)

### First Page Out:

Copy: 3.4 Seconds or Less Black, 4.4 Seconds or Less Colour  
Print: 3.8 Seconds or Less Black, 5.1 Seconds or Less Colour

### Typical Electricity Consumption (TEC):

240V: 3.08 kWh/week

**Weight:** 95kgs

## TASKalfa 5053ci

### Pages Per Minute:

Colour and Black – A4: 50 ppm, A3: 25 ppm (print only)  
**Warm Up Time:** 17 Seconds or Less (Power On)

### First Page Out:

Copy: 3.7 Seconds or Less Black, 4.8 Seconds or Less Colour  
Print: 4.3 Seconds or Less Black, 5.4 Seconds or Less Colour

### Typical Electricity Consumption (TEC):

240V: 2.46 kWh/week

**Weight:** 95kgs

## TASKalfa 4053ci

### Pages Per Minute:

Colour and Black – A4: 40 ppm, A3: 20 ppm (print only)  
**Warm Up Time:** 17 Seconds or Less (Power On)

### First Page Out:

Copy: 4.5 Seconds or Less Black, 5.9 Seconds or Less Colour  
Print: 5.1 Seconds or Less Black, 6.5 Seconds or Less Colour

### Typical Electricity Consumption (TEC):

240V: 1.90 kWh/week

**Weight:** 95kgs

## TASKalfa 3253ci

### Pages Per Minute:

Colour and Black – A4: 32 ppm, A3: 16 ppm (print only)

**Warm Up Time:** 18 Seconds or Less (Power On)

### First Page Out:

Copy: 5.3 Seconds or Less Black, 7.0 Seconds or Less Colour  
Print: 5.9 Seconds or Less Black, 7.7 Seconds or Less Colour

### Typical Electricity Consumption (TEC):

240V: 1.46 kWh/week

**Weight:** 90kg

## TASKalfa 2553ci

### Pages Per Minute:

Colour and Black – A4: 25 ppm, A3: 12 ppm (print only)

**Warm Up Time:** 18 Seconds or Less (Power On)

### First Page Out:

Copy: 6.4 Seconds or Less Black, 8.5 Seconds or Less Colour  
Print: 7.0 Seconds or Less Black, 9.2 Seconds or Less Colour

### Typical Electricity Consumption (TEC):

240V: 1.06 kWh/week

**Weight:** 90kg

## TASKalfa 6003i

### Pages Per Minute:

Black – A4: 60 ppm, A3: 30 ppm (print only)

**Warm Up Time:** 17 Seconds or Less (Power On)

### First Page Out:

Copy: 3.4 Seconds or Less Black  
Print: 3.8 Seconds or Less Black

### Typical Electricity Consumption (TEC):

240V: 3.02 kWh/week

**Weight:** 83kg

## TASKalfa 5003i

### Pages Per Minute:

Black – A4: 50 ppm, A3: 25 ppm (print only)

**Warm Up Time:** 17 Seconds or Less (Power On)

### First Page Out:

Copy: 3.7 Seconds or Less Black  
Print: 4.3 Seconds or Less Black

### Typical Electricity Consumption (TEC):

240V: 2.37 kWh/week

**Weight:** 83kg

## Common Specifications

### Basic Specifications

**Configuration:** Multifunctional System –  
Print/Scan/Copy/Optional Fax

**Display:** 10.1" Colour Touch Screen Control Panel

**Resolution:** Up to 1200 x 1200 dpi

**Memory / Hard Disk Drive:** 4GB RAM / 8GB SSD /  
320GB HDD Standard

**Duplex:** Standard Stackless Duplex Supports Statement  
(5.5" x 8.5") to SRA3, 64 – 256gsm

**Standard Output Tray:** Statement – SRA3 / 500 sheets;  
up to 12" x 48" Banner (Single Sheet)

**Job Separator Output Tray:** Up to SRA3 / 100 sheets

**Electrical Requirements:** 220-240V, 50Hz, 7.2A

**Dimensions:** 602 W x 665 D x 790 H (mm)

### Security Specifications

Local Authentication, Network Authentication, Encryption  
Communication (IPsec, HTTPS, LDAP over SSL, SMTP/POP over SSL,  
FTP over SSL, SNMPv3), TPM (Trusted Platform Module), Secure  
Boot (Firmware Authenticity Verification), Run Time Integrity Check,  
Data Security Kit (E) (HDD Overwrite Mode and HDD Data  
Encryption), Common Criteria (ISO15408 EAL2), IEEE 2600.2

### Print Specifications

**Standard Controller:** Freescale QorIQ T1024 (Dual Core) / 1.2GHz;  
Freescale QorIQ T1024 (Dual Core) / 1.0GHz for the 3253ci & 2553ci

**PDLs / Emulations:** PRESCRIBE, PCL6 (PCL-XL / PCL-5c), KPDLL3  
(P53), XPS, OPEN XPS; Optional (UG-34): IBM ProPrinter, Line Printer,  
LQ-850

**Print Resolution:** Up to 1200 x 1200 dpi

**Fonts:** 136 KPDLL3, 93 PCL6, 8 Windows Vista, 1 BitMap

**OS Compatibility:** Windows: 7/8.1/10/Server 2008/Server 2008

R2/Server 2012/Server 2012 R2/Server 2016; Novell NetWare  
3.x/4.x/5.x/6.x; Mac OS X v10.9 or later; Sun OS 4.1.x; Solaris 2.x; AIX;  
HP-UX (LPR)

**Mobile Printing:** Apple AirPrint®, Google Cloud Print™, Mopria®,  
KYOCERA Mobile Print

**Interfaces:** Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 4 USB  
Host Interfaces, 2 Expansion Slots, IEEE 802.11b/g/n Wireless LAN  
(communication distance 98.5 feet)

Optional: 10/100/1000BaseTX (IB-50 for Dual NIC);

Optional: IEEE 802.11b/g/n (IB-51 for Wireless LAN Interface)  
(communication distance 328.1 feet)

**Network Print and Supported Protocols:** TCP/IP, NetBEUI, IPv4, IPv6,  
IPsec, HTTP, LPD, FTP, IPP, RawPort, LLTD, SNMP, DHCP, SMTP, POP3,  
DNS, SNMPv1/v2, WSD Scan/Print

**Drivers:** KX Driver, PCL Mini Driver, KPDLL Mini Driver, KX Driver for  
XPS, Network Fax Driver, TWAIN Driver, WIA Driver, PPD for MAC,  
PPD for Linux

**Utilities:** KYOCERA Net Admin, KYOCERA Net Viewer, KYOCERA  
Net Device Manager, PDF Direct Print, Command Center RX

### Paper Supply

**Standard Paper Sources:** Dual 500 Sheet Trays, 150 Sheet MPT,  
Auto Selection / Switching

**Optional Paper Sources:** Dual 500 Sheet Trays (PF-7100),  
Dual 1,500 Sheet Trays (PF-7110); Side LCT: 3,000 Sheet Capacity Tray  
[(PF-7120) Requires PF-7100 or PF-7110]

**Paper Capacity:** Standard: 1,150 Sheets; Maximum: 7,150 Sheets

### Paper Size:

Tray 1 – A6 – A4 (Statement to Legal);

Tray 2 – A6 – SRA3, Custom Size;

PF-7100: A6 – SRA3;

PF-7110, PF-7120: A4;

MPT: A6 – SRA3 (Multiple Sheets);

Up to 12" x 48" Banner (Single Sheet)

**Paper Weight:** Trays / MPT: 52 – 300gsm

**Input Materials:** Standard/Optional Trays: Plain, Bond, Recycled,  
Preprinted, Vellum, Colour, Pre-Punched, Thick, Thin, High  
Quality, Letterhead, Envelope, Custom

MPT: Plain, Bond, Recycled, Preprinted, Vellum, Colour, Pre-  
Punched, Thick, Thin, High Quality, Transparency (OHP film), Coated,  
Index Tab, Label, Letterhead, Envelope, Custom



## Additional Specifications

### Scan Specifications

**Scan Type:** Colour and Black & White Scanner

**Scan Resolution:** 600 dpi, 400 dpi, 300 dpi, 200 dpi, 200 x 100 dpi, 200 x 400 dpi

**File Formats:** TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPB Compression / High Compression PDF)

**PDF Extension:** Searchable PDF (OCR) Option; MS Office File (Option)

**Scan Speeds (B&W/Colour, @300 dpi):**

**DP-7120:** Simplex: 48 ipm / Duplex: 15 ipm

**DP-7100:** Simplex: 80 ipm / Duplex: 48 ipm

**DP-7110:** Simplex: 100 ipm / Duplex: 180 ipm;

Simplex: 80 ipm / Duplex: 160 ipm for the 3253ci & 2553ci

**DP-7130 (with Multi-Feed Detection):**

Simplex: 120 ipm / Duplex: 220 ipm;

Simplex: 100 ipm / Duplex: 180 ipm for the 3253ci & 2553ci

**Connectivity / Supported Protocols:**

10/100/1000BaseTX, TCP/IP, Hi-Speed USB 2.0

**Scanning Functions:** Scan to Folder (SMB), Scan to Email, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWIN Scan, Specified Colour Removal, Border Erase, Preview

**Original Size:** Through DP: A6 to A3

(A6 - A3); Glass: Up to A3

**Drivers:** TWIN/WIA Driver

### Copy Specifications

**Copy Resolution:** 600 x 600 dpi

**Image Mode:** Text, Photo, Text/Photo, Graphic/Map

**Continuous Copy:** 1 - 9999 / Auto Reset to 1

**Additional Features:** Auto Magnification, Auto Paper Select, Auto Start, Auto Drawer Change, Interrupt Copy, Positive / Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Text Stamp, Bates Stamp, Blank Page Skip, Specified Colour Removal, Preview, ID Card Copy

**Job Management:** 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy

**Colour Adjustment:** One Touch, Hue, Auto Exposure, Sharpness

**Magnification / Zoom:** Full Size, 4 Reduction, 4 Enlargement Preset Ratios, 25 - 400% in 1% Step Increments

**Document Box:** Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System)

### Optional Fax Specifications

**Fax Type:** Fax System 12

**Compatibility / Data Compression:** G3 Fax / MMR, MR, MH, JBIG

**Transmission Speed / Modem Speed:** Less than 3 seconds /

33.6 Kbps

**Fax Memory:** Standard 170 MB

**Driver:** Network Fax Driver

**Fax Functions:** Network Fax, Duplex Transmission and Reception, Encrypted Transmission and Reception, Polling Transmission and Reception, Broadcast, Fax Server Integration, Fax Dedicated Paper Feeder

### Optional Document Processors<sup>2</sup>

**Type / Capacity:**

**DP-7120:** Reversing Automatic Document Processor / 50 Sheets

**DP-7100:** Reversing Automatic Document Processor / 140 Sheets

**DP-7110:** Dual Scan Document Processor / 270 Sheets

**DP-7130:** Dual Scan Document Processor / 270 Sheets

**Acceptable Originals:** A6 - A3

**Acceptable Weights:**

**DP-7120:** Simplex: 45 - 160gsm; Duplex: 50 - 120gsm

**DP-7100:** Simplex: 35 - 160gsm; Duplex: 50 - 120gsm

**DP-7110 & DP-7130:** 35 - 220gsm; Duplex: 50 - 220gsm

### Output & Finishing Options<sup>3</sup>

#### 500 Sheet Internal Finisher DF-7100

**Stack / Staple Capacity:** 500 Sheets / 50 Sheets (up to 90gsm)

**Paper Size:** A6 - SRA3

**Paper Weight:** 52 - 300gsm

**Edge Staple Position:** 3 Positions: Front 1 Staple, Edge 1 Staple, Face 2 Staples

**Optional Punch:** PH-7100 2 and 3 Hole Punch Unit, Supports

A6 - SRA3; 52 - 300gsm

**Dimensions(mm):** 498 W x 533 D x 171 H

#### 1,000 Sheet Finisher DF-7120<sup>4</sup>

**Stack / Staple Capacity:** Main Tray: 1,000 Sheets / 50 Sheets (up to 90gsm)

**Paper Size:** A6 - SRA3

**Paper Weight:** 52 - 300gsm

**Edge Staple Position:** 3 Positions: Top Left, Bottom Left, Center Bind

**Optional Punch:** PH-7C 2 and 4 Hole Punch Unit, Supports A6 - SRA3; 52 - 300gsm

**Dimensions(mm):** 548 W x 618 D x 1,050 H

#### 4,000 Sheet Finisher DF-7110<sup>4</sup> & DF-7130<sup>4,5</sup>

**Stack / Staple Capacity:** Main Tray (A): 4,000 Sheets; DF-7110 Sub Tray (B): 200 Sheets / 65 Sheets (90gsm) DF-7130 Sub Tray (B): 200 Sheets / 100 Sheets (up to 80gsm)

**Paper Size:** A6 - SRA3

**Paper Weight:** 52 - 300gsm

**Edge Staple Position:** 3 Positions: Top Left, Bottom Left, Center Bind

**Optional Punch:** PH-7C 2 and 4 Hole Punch Unit, Supports A6 - SRA3; 52 - 300gsm

**Dimensions:**

DF-7110: 608 W x 668 D x 1,062 H (mm);

DF-7130: 749 W x 665 D x 1,110 H (mm)

**Optional Booklet Folder / Tri-fold Unit:**

**DF-7110: BF-730** Booklet Folder supports max A3

Fold Booklet Staple: 60 - 90gsm: max 20 sheets; 91 - 105gsm: max 13 sheets; Higher than 105gsm 1 sheet;

Fold booklet no staple: 60 - 90gsm 5 sheets; 91 - 120gsm 3 sheets; 121 - 256gsm 1 sheet;

Trifold supports A4 only: 60 - 90gsm 5 sheets; 91 - 120gsm: 3 sheets; 60 - 105gsm: 1 sheet

**DF-7130: BF-9100** Booklet Folder supports A4, A3

Fold Booklet Staple: 52 - 90gsm: max 20 sheets

91 - 105gsm: max 13 sheets; Higher than 105gsm: 1 sheet;

Fold Booklet No Staple: 60 - 90gsm: 5 sheets; 91 - 105gsm: 3 sheets; 106 - 256gsm: 1 sheet;

Tri-fold supports A4 only: 60 - 90gsm: 5 sheets; 91 - 105gsm: 3 sheets

### Additional Options

Bridge Unit Attachment Kit (AK-7100), Banner Guide 10, Internet Fax Kit (A), IC Card Authentication Kit (B), Gigabit NIC (IB-50), Wireless LAN IEEE 802.11b/g/n (IB-51), ThinPrint (UG-33), Emulation (UG-34), Document Tray (DT-730 [B]), Scan Extension Kit (A) for Searchable PDF/OCR, Keyboard Holder 10, EFI Fiery Printing System 15 (Only available for the following models: 6053ci/5053ci/4053ci/3253ci), Numeric Keypad (NK-7130), Job Separator (JS-7100)

<sup>1</sup> Only available for the TASKalfa 3253ci & TASKalfa 2553ci

<sup>2</sup> Only 1 Document Processor can be installed

<sup>3</sup> Only 1 Output Option can be installed

<sup>4</sup> Requires Bridge Unit Attachment Kit (AK-7100)

<sup>5</sup> Not available on the TASKalfa 3253ci & TASKalfa 2553ci



Specifications and design are subject to change without notice. For the latest on connectivity visit [usa.kyoceradocumentsolutions.com](http://usa.kyoceradocumentsolutions.com). TASKalfa, PRESCRIBE, KYOCERA Net Admin, KYOCERA Net Viewer, KYOCERA Net Device Manager, PDF Direct Print, Command Center RX, and KX Driver are trademarks of The Kyocera Companies. Mac OS and AirPrint are trademarks of Apple, Inc. Google Cloud Print is a trademark of Google, Inc. Mopria is a trademark of Mopria Alliance, Inc. Windows is a trademark of Microsoft, Inc. All other trademarks are the property of their respective owners.

KYOCERA Document Solutions Australia Pty Ltd  
Head Office: 6 Talavera Road, Macquarie Park, NSW 2113  
©2019 KYOCERA Document Solutions Australia Pty Ltd  
v041119

## KYOCERA Document Solutions Partner

KYOCERA Document Solutions Australia Pty. Ltd ABN 77 003 852 444

KYOCERA Document Solutions Australia  
Ph: 13 59 62  
[www.kyoceradocumentsolutions.com.au](http://www.kyoceradocumentsolutions.com.au)

KYOCERA Document Solutions New Zealand\*  
Ph: 0800 459 623  
[www.kyoceradocumentsolutions.co.nz](http://www.kyoceradocumentsolutions.co.nz)